British Journal of Pharmacology

CONTENTS

VOLUME 90 NUMBER 1 JANUARY 1987

SHORT COMMUNICATIONS

3 CONSTANTI, A. & SIM, J.A. Muscarinic receptors mediating suppression of the M-current in guinea-pig olfactory cortex neurones may be of the M_2-subtype

PAPERS

7 BENOIT, E., CARRATÙ, M.R., DUBOIS, J.M., MITOLO-CHIEPPA, D. & PREZIOSI, P. Electrophysiological studies of the effects of the general anaesthetic etomidate on frog myelinated nerve fibre

15 BARASI, S., BEN-SRETI, M.M., CLATWORTHY, A.L., DUGGAL, K.N., GONZALEZ, J.P., ROBERTSON, J., ROONEY, K.F. & SEWELL, R.D.E. Dopamine receptor-mediated spinal antinociception in the normal and haloperidol pretreated rat: effects of sulpiride and SCH 23390

23 CAPARROTTA, L., FASSINA, G., FROLDI, G. & POJA, R. Antagonism between (—)-N^6-phenylisopropyladenosine and the calcium channel facilitator Bay K 8644, on guinea-pig isolated atria

31 FRIGO, G.M., GALLI, A., LECCHINI, S. & MARCOLI, M. A facilitatory effect of bicuculline on the enteric neurones in the guinea-pig isolated colon

43 DART, A.M., RIEMERSMA, R.A., SCHÖMIG, A. & UNGAR, A. Metabolic requirements for release of endogenous noradrenaline during myocardial ischaemia and anoxia

51 HIRST, G.D.S. & LEW, M.J. Lack of involvement of α-adrenoceptors in sympathetic neural vasoconstriction in the hindquarters of the rabbit

61 HILEY, C.R. & THOMAS G.R. Effects of α-adrenoceptor agonists on cardiac output and its regional distribution in the pithed rat

71 POCOCK, G. & RICHARDS, C.D. The action of pentobarbitone on stimulus-secretion coupling in adrenal chromaffin cells

81 KORTH, M. & KÜHLKAMP, V. Muscarinic receptors mediate negative and positive inotropic effects in mammalian ventricular myocardium: differentiation by agonists

91 SOARES-DA-SILVA, P. A comparison between the pattern of dopamine and noradrenaline release from sympathetic neurones of the dog mesenteric artery

99 DILLON, J.S. & NAYLER, W.G. [^{3}H]-verapamil binding to rat cardiac sarcolemmal membrane fragments: an effect of ischaemia

111 BURNSTOCK, G. & WARLAND, J.T.I. A pharmacological study of the rabbit saphenous artery *in vitro*: a vessel with a large purinergic contractile response to sympathetic nerve stimulation

121 KOMORI, S. & OHASHI, H. Nerve pathways involved in adrenergic regulation of electrical and mechanical activities in the chicken rectum

131 NORTHOVER, B.J. Electrical changes produced by injury to the rat myocardium *in vitro* and the protective effects of certain antiarrhythmic drugs

139 CASALS-STENZEL, J. & WEBER, K.H. Triazolodiazepines: dissociation of their Paf (platelet activating factor) antagonistic and CNS activity

147 SIM, M.K. & SINGH, M. Decreased responsiveness of the aortae of hypertensive rats to acetylcholine, histamine and noradrenaline

151 IRELAND, S.J., STRAUGHAN, D.W. & TYERS, M.B. Influence of 5-hydroxytryptamine uptake on the apparent 5-hydroxytryptamine antagonist potency of metoclopramide in the rat isolated superior cervical ganglion

161 ENDO, Y. Suppression and potentiation of 5-hydroxytryptophan-induced hypoglycaemia by α-monofluoromethyldopa: correlation with the accumulation of 5-hydroxytryptamine in the liver

167 BLAKE, J.F., EVANS, R.H. & SMITH, D.A.S. The effect of nicotine on motoneurones of the immature rat spinal cord *in vitro*

175 CARSWELL, H., GALIONE, A.G. & YOUNG, J.M. Differential effect of temperature on histamine- and carbachol-stimulated inositol phospholipid breakdown in slices of guinea-pig cerebral cortex

183 BIZIERE, K., BOURGUIGNON, J.J., CHAMBON, J.P., HEAULME, M., PERIO, A., TEBIB, S. & WERMUTH, C.G. A 7-phenyl substituted triazolopyridazine has inverse agonist activity at the benzodiazepine receptor site

191 KATO, H. & TAKATA, Y. Differential effects of Ca antagonists on the noradrenaline release and contraction evoked by nerve stimulation in the presence of 4-aminopyridine

203 CRISCUOLI, M. & SUBISSI, A. Paf-acether-induced death in mice: involvement of arachidonate metabolites and β-adrenoceptors

211 BRISTOW, D.R., CURTIS, N.R., SUMAN-CHAUHAN, N., WATLING, K.J. & WILLIAMS, B.J. Effects of tachykinins on inositol phospholipid hydrolysis in slices of hamster urinary bladder

219 FLEETWOOD, G. & GORDON, J.L. Purinoceptors in the rat heart

229 IRELAND, S.J. & TYERS, M.B. Pharmacological characterization of 5-hydroxytryptamine-induced depolarization of the rat isolated vagus nerve

239 KUMAR, R., REAVILL, C. & STOLERMAN, I.P. Nicotine cue in rats: effects of central administration of ganglion-blocking drugs

247 ADDICKS, K., HIRCHE, H., McDONALD, F.M. & POLWIN, W. Effects of morphine on catecholamine release and arrhythmias evoked by myocardial ischaemia in rats

255 CORSINI, A., FOLCO, G.C., FUMAGALLI, R., NICOSIA, S., NOE', M.A. & OLIVA, D. (5Z)-carbacyclin discriminates between prostacyclin-receptors coupled to adenylate cyclase in vascular smooth muscle and platelets

263 DONALDSON, J. & HILL, S.J. 1,4-Dithiothreitol-induced changes in histamine H_1-agonist efficacy and affinity in the longitudinal smooth muscle of guinea-pig ileum

273 HOLZER-PETSCHE, U., LEMBECK, F. & SEITZ, H. Contractile effects of substance P and neurokinin A on the rat stomach *in vivo* and *in vitro*

281 HOMEIDA, A.M. & KHALAFALLA, A.E. Effects of oxytocin-antagonist injections on luteal regression in the goat

VOLUME 90 NUMBER 2 FEBRUARY 1987

PAPERS

287 DESARMENIEN, M., DESAULLES, E., FELTZ, P. & HAMANN, M. Electrophysiological study of SR 42641, a novel aminopyridazine derivative of GABA: antagonist properties and receptor selectivity of $GABA_A$ versus $GABA_B$ reponses

299 DEMPSTER, J., JONES, S.V.P. & MARSHALL, I.G. A kinetic analysis of the endplate ion channel blocking action of disopyramide and its optical isomers

309 DÍEZ, J. & TAMARGO, J. Effect of somatostatin on ^{45}Ca fluxes in guinea-pig isolated atria

315 JUAN, H., PESKAR, B.A. & SIMMET, Th. Effect of exogenous 5,8,11,14,17-eicosapentaenoic acid on cardiac anaphylaxis

327 MURPHY, R.L.W., & SMITH, M.E. Effects of diacylglycerol and phorbol ester on acetylcholine release and action at the neuromuscular junction in mice

335 KAROUM, F. N-propargylbenzylamine, a major metabolite of pargyline, is a potent inhibitor of monoamine oxidase type B in rats *in vivo*: a comparison with deprenyl

347 ABOULAFIA, J., CAPOCCI, H., PAIVA, A.C.M. & PAIVA, T.B. Sodium-dependence of the non-specific desensitization of the guinea-pig ileum induced by acetylcholine and histamine

355 FUJII, K., FUJIWARA, M., KUMADA, K., KURAHASHI, K. & USUI, H. Regional differences of reactivity to stimulants in the dog portal tree

365 STEEL, G., WALLACE, J.L. & WHITTLE, B.J.R. Failure of prostaglandin E_2 and its 16,16-dimethyl analogue to prevent the gastric mucosal damage induced by Paf

373 KENAKIN, T.P. & PIKE, N.B. An *in vitro* analysis of purine-mediated renal vasoconstriction in rat isolated kidney

383 BURNSTOCK, G. & WARLAND, J.J.I. P_2-purinoceptors of two subtypes in the rabbit mesenteric artery: reactive blue 2 selectively inhibits responses mediated via the P_{2y}-but not the P_{2x}-purinoceptor

393 COX, H.M., CUTHBERT, A.W. & MUNDAY, K.A. The effect of angiotensin II upon electrogenic ion transport in rat intestinal epithelia

403 ALLGAIER, C., HERTTING, G. & KÜGELGEN, O.V. The adenosine receptor-mediated inhibition of noradrenaline release possibly involves a N-protein and is increased by α_2-autoreceptor blockade

413 BROOKS, P.M., BURTON, D. & FORREST, M.J. Crystal-induced inflammation in the rat subcutaneous air-pouch

421 CHURCH, M.K. & HIROI, J. Inhibition of IgE-dependent histamine release from human dispersed lung mast cells by anti-allergic drugs and salbutamol

431 FILEP, J., FÖLDES-FILEP, É. & FRÖLICH, J.C. Vascular responses to leukotriene B_4, C_4 and D_4 following FPL 55712, indomethacin, saralasin, phentolamine and verapamil in the conscious rat

VOLUME 90 NUMBER 3 MARCH 1987

SHORT COMMUNICATION

443 CARNUCCIO, R., DI ROSA, M., GUERRASIO, B., IUVONE, T. & SAUTEBIN, L. Vasocortin: a novel glucocorticoid-induced anti-inflammatory protein

PAPERS

447 FERRY, D.R. & KAUMANN, A.J. Relationship between β-adrenoceptors and calcium channels in human ventricular myocardium

459 BLANDINA, P., BRUNELLESCHI, S., FANTOZZI, R., GIANNELLA, E., MANNAIONI, P.F. & MASINI, E. The antianaphylactic action of histamine H_2-receptor agonists in the guinea-pig isolated heart

467 CHIVERS, J., JENNER, P. & MARSDEN, C.D. Pharmacological characterization of binding sites identified in rat brain following *in vivo* administration of [^{3}H]-spiperone.

479 PUURUNEN, J. & SCHWABE, U. Effect of gastric secretagogues on the formation of inositol phosphates in isolated gastric cells of the rat

491 COTTRELL, G.A., LAMBERT, J.J. & PETERS, J.A. Modulation of $GABA_A$ receptor activity by alphaxalone

501 EDWARDS, R.J., MACDERMOT J. & WILKINS, A.J. Prostacyclin analogues reduce ADP-ribosylation of the α-subunit of the regulatory G_i-protein and diminish adenosine (A_2) responsiveness of platelets

511 GIBB, A.J. & MARSHALL, I.G. Examination of the mechanisms involved in tetanic fade produced by vecuronium and related analogues in the rat diaphragm

523 ADVENIER, C., GNASSOUNOU, J.P. & SCARPIGNATO, C. Relaxant effect of the H_2-receptor antagonist oxmetidine on guinea-pig and human airways

531 KING, K.A. & PANG, C.C.Y. Cardiovascular effects of injections of vasopressin into the nucleus tractus solitarius in conscious rats

537 CHAN, M-Y., DAI, S. & KO. W.W.W. Effects of morphine on cardiovascular responses to acute myocardial ischaemia in rats

545 NAKAMOTO, M., TANAKA, C. & TANIYAMA, K. Release of γ-aminobutyric acid and acetylcholine by neurotensin in guinea-pig ileum

553 EDVINSSON, L. & JANSEN, I. Characterization of tachykinin receptors in isolated basilar arteries of guinea-pig

561 MARTIN, K.J. & VYAS, S. Increase in acetylcholine concentrations in the brain of 'old' rats following treatment with pyrithioxin (Encephabol)

567 LÜLLMANN, H. & MOHR, K. High and concentration-proportional accumulation of [^{3}H]-nitrendipine by intact cardiac tissue

575 DELGADO, C., TAMARGO, J., TEJERINA, T. & VALENZUELA, C. Effects of 5-hydroxy-propafenone in guinea-pig atrial fibres

583 GARRINO, M.G. & HENQUIN, J.C. Adamantane derivatives: a new class of insulin secretagogues

593 CAMPBELL, T.J. Cellular electrophysiological effects of D- and DL-sotalol in guinea-pig sinoatrial node, atrium and ventricle and human atrium: differential tissue sensitivity

601 ROTHWELL, N.J., STOCK, M.J. & SUDERA, D.K. Changes in tissue blood flow and β-receptor density of skeletal muscle in rats treated with the β_2-adrenoceptor agonist clenbuterol

609 ALLAN, G., CAMBRIDGE, D., HARDY, G.W. & FOLLENFANT, M.J. BW A575C, a chemically novel agent with angiotensin converting enzyme inhibitor and β-adrenoceptor-blocking properties

617 GALTON, S.A. & PIPER, P.J. The role of blood vessels in the bioconversion of leukotrienes in the pig

VOLUME 90 NUMBER 4 APRIL 1987

PAPERS

625 TSAI, M.C. Effect of neomycin on post-tetanic twitch tension of the mouse diaphragm preparation

635 LOT, T.Y. The consequences of loss followed by recovery of noradrenergic nerve function on muscarinic receptors in the chick expansor secundariorum muscle

641 JHAMANDAS, K. & MARIEN, M. Glutamate-evoked release of endogenous brain dopamine: inhibition by an excitatory amino acid antagonist and an enkephalin analogue

651 MAGGI, C.A., MELI, A. & SANTICIOLI, P. Four motor effects of capsaicin on guinea-pig distal colon

661 TOKOLA, O. Effects of repeated intravenous administration of haem arginate upon hepatic metabolism of foreign compounds in rats and dogs

669 GALINA, Z.H. & KASTIN, A.J. Tyr-MIF-1 attenuates antinociceptive responses induced by three models of stress-analgesia

675 DE SARRO, G.B., ASCIOTI, C., FROIO, F., LIBRI, V & NISTICO, G. Evidence that locus coeruleus is the site where clonidine and drugs acting at α_1- and α_2-adrenoceptors affect sleep and arousal mechanisms

687 FURLONG, B., HENDERSON, A.H., LEWIS, M.J. & SMITH, J.A. Endothelium-derived relaxing factor inhibits *in vitro* platelet aggregation

693 EGLEN, R.M., KENNY, B.A., MICHEL, A.D. & WHITING, R.L. Muscarinic activity of McN-A-343 and its value in muscarinic receptor classification

701 EGLEN, R.M. & WHITING, R.L. Competitive and non-competitive antagonism exhibited by 'selective' antagonists at atrial and ileal muscarinic receptor subtypes

709 BARNES, P.J., GRANDORDY, B.M., PAGE, C.P., RHODEN, K.J. & ROBERTSON, D.N. The effect of platelet activating factor on pulmonary β-adrenoceptors

717 GAUTIER, P., GUIRAUDOU, P. & SAUVIAT, M-P. Electrophysiological effects of diclofurime on rabbit and frog atrial heart muscle

727 AMANN, R. & LEMBECK, F. Stress induced ACTH release in capsaicin treated rats

733 BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Inhibitory responses to nicotine and transmural stimulation in hyoscine-treated guinea-pig isolated trachealis: an electrical and mechanical study

745 BOSCHI, G., LAUNAY, N. & RIPS, R. Neuroleptic-induced hypothermia in mice: lack of evidence for a central mechanism

753 BARTHÓ, L., HOLZER, P., LEMBECK, F., LIPPE, I.T. & SETNIKAR, I. Evaluation of a new and potent cholecystokinin antagonist on motor responses of the guinea-pig intestine

763 KERR, D.I.B. & ONG, J. Bicarbonate-dependence of responses to ethylenediamine in the guinea-pig isolated ileum: involvement of ethylenediamine-monocarbamate

771 PIPER, P.J. & STEWART, A.G. Antagonism of vasoconstriction induced by platelet-activating factor in guinea-pig perfused hearts by selective platelet-activating factor receptor antagonists

785 CORDER, R., LOWRY, P.J. & WITHRINGTON, P.G. The actions of the peptides, neuropeptide Y and peptide YY, on the vascular and capsular smooth muscle of the isolated, blood-perfused spleen of the dog

791 CUSACK, N.J., HOURANI, S.M.O., LOIZOU, G.D. & WELFORD, L.A. Pharmacological effects of isopolar phosphonate analogues of ATP on P_2-purinoceptors in guinea-pig taenia coli and urinary bladder

797 VOLUME INDEX

CUMULATIVE CONTENTS